



Material Safety Data Sheet

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product Name: Fennel Oil Sweet

Company Name: Just a Soap
10 Bunting Road
Bury St Edmunds
IP32 7BX

Telephone Number: 01284 848730

Email: enquiry@justasoap.co.uk
Web: www.justasoap.co.uk

CAS Number: 8006-84-6
EC (EINECS) Number: 282-892-3
Chemical Name: DEFINITION/BOTANICAL ORIGIN: Foeniculum Vulgare Oil is the volatile oil obtained by steam distillation of the crushed seeds of the Fennel. Foeniculum vulgare, Umbelliferae.

Synonyms, Trade names: INCI NAME: *Foeniculum vulgare Oil*

2. HAZARDS IDENTIFICATION

Classification (1999/45): Xn;R65. Carc. Cat. 3;R40, Muta Cat. 3;R68. R43. N;R51/53.

Classification (EC 1272/2008)
Physical: Not classified.
Health: Skin Sens. 1 – H317;Muta. 2 – H341;Carc. 2 – H351;
Asp. Tox. 1 – H304
Environmental: Aquatic Chronic 2 – H411

Label in accordance with (EC) No. 1272/2008:



Signal Word: Danger
Contains: 3-CARENE
ANETHOLE
ESTRAGOLE
LIMONENE
PINENES

Hazard Statements:
H304 May be fatal if swallowed and enters airways.
H317 May cause an allergic skin reaction.
H341 Suspected of causing genetic defects.
H351 Suspected of causing cancer.
H411 Toxic to aquatic life with long lasting effects.

Precautionary Statements:

P273	Avoid release to the environment.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P281	Use personal protective equipment as required.
P301+310	IF SWALLOWED: Immediately call a POISON CENTRE or doctor/physician.
P308+313	If exposed or concerned: Get medical advice/attention.

Supplementary precautionary statements:

P201	Obtain special instructions before use.
P202	Do not handle until all safety precautions have been read and understood.
P261	Avoid breathing dust/fume/gas/mist/vapours/spray.
P272	Contaminated work clothing should not be allowed out of the workplace.
P302/352	IF ON SKIN: Wash with plenty of soap and water.
P331	Do NOT induce vomiting.
P333/313	If skin irritation occurs: Get medical advice/attention.
P363	Wash contaminated clothing before reuse.
P391	Collect spillage.
P405	Store locked up.

3. COMPOSITION/INFORMATION ON INGREDIENTS

3-CARENE	1-5%
CAS-NO.: 13466-78-9	EC No.: 236-719-3
CLASSIFICATION (EC 1272/2008) Flam. Liq. 3 – H226 Skin Sens. 1 – H317	CLASSIFICATION (67/548) N;R51/53. R43,R10
ANETHOLE	60-100%
CAS-No.: 104-46-1	EC No.: 203-205-5
CLASSIFICATION (EC 1272/2008) Skin Sens. 1 – H317 Aquatic Chronic 2 – H411	CLASSIFICATION (67/548/EEC) N;R51/53. R43.
ANISIC ALDEHYDE	1-5%
CAS-No.: 123-11-5	EC No.: 204-602-6
CLASSIFICATION (EC 1272/2008) Acute Tox. 4 – H302	CLASSIFICATION (67/548/EEC) Xn;R22
ESTRAGOLE	5-10%
CAS-No.: 140-67-0	EC No.: 205-427-8
CLASSIFICATION (EC 1272/2008) Acute Tox. 4 – H302 Skin Sens. 1 – H317 Muta. 2 – H341 Carc. 2 – H351	CLASSIFICATION (67/548/EEC) Xn;R22. Carc. Cat. 3;R40. Muta. Cat. 3;R68. R43

HYDROCARBONS. OTHER		1-5%
CAS-No.:	EC No.:	
CLASSIFICATION (EC 1272/2008) Asp. Tox. 1 – H304	CLASSIFICATION (67/548) Xn;R65	
LIMONENE		1 – 5%
CAS-No.: 138-86-3	EC No.: 205-341-0	
CLASSIFICATION (EC 1272/2008) Flam. Liq. 3 H226 Skin Irrit. 2 – H315 Skin Sens. 1 – H317 Asp. Tox. 1 – H304 Aquatic Acute 1 – H400 Aquatic Chronic 1 – H410	CLASSIFICATION (67/548) Xn;R65 Xi;R38 N;R50/53. R10,R43.	
MYRCENE		1-5%
CAS-No.; 123-35-3	EC No.: 204-622-5	
CLASSIFICATION (EC 1272/2008) Aquatic Chronic 3 – H412	CLASSIFICATION (67/548/EEC) R52/53.	
OCIMENE		1-5%
CAS-No.: 3338-55-4	EC No.: 237-641-2	
CLASSIFICATION (EC 1272/2008) Flam. Liq. 3 – H226 Asp. Tox. 1 – H304	CLASSIFICATION (67/548/EEC) Xn;R65. R10.	
PARA-CYMENE		1-5%
CAS-No.: 99-87-6	EC No.: 202-796-7	
CLASSIFICATION (EC 1272/2008) Aquatic Chronic 2 – H411	CLASSIFICATION (67/548/EEC) N;R51/53.	
PHELLANDRENES		1-5%
CAS-No.: 99-83-2	EC No.: 202-792-5	
CLASSIFICATION (EC 1272/2008) Flam. Liq. 3 – H226 Asp. Tox. 1 – H304	CLASSIFICATION (67/548/EEC) Xn;R65. R10.	
PINENES		5-10%
CAS-No.: 80-56-8	EC No.: 201-291-9	
CLASSIFICATION (EC 1272/2008) Skin Sens. 1 – H317 Aquatic Acute 1 – H400 Aquatic Chronic 1 – H410	CLASSIFICATION (67/548/EEC) N;R50/53. R43.	

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16

EC (EINECS) No. 282-892-3
CAS-No. 8006-84-6

4. FIRST-AID MEASURES

GENERAL INFORMATION: Remove affected person from source of contamination. Perform artificial respiration if breathing has stopped.

NOTES TO THE PHYSICIAN: No specific first aid measures noted.

INHALATION: Inhalation may cause coughing, tightness of the chest and irritation of the respiratory system. Move the exposed person to fresh air at once. Get medical attention if any discomfort continues.

INGESTION: If necessary, rinse mouth and provide fresh air. Get medical attention if discomfort continues.

SKIN CONTACT: If necessary remove contaminated clothing and wash skin with soap and water. Get medical attention if any discomfort continues.

EYE CONTACT: Immediately flush with plenty of water for up to 15 minutes. Remove any contact lenses and open eyes wide apart. Get medical attention if any discomfort continues.

5. FIRE FIGHTING EXTINGUISHING MEASURES

EXTINGUISHING MEDIA: Fire can be extinguished using: Foam, carbon dioxide or dry powder.

SPECIAL FIRE FIGHTING PROCEDURES: Containers close to fire should be removed or cooled with water.

UNUSUAL FIRE & EXPLOSION HAZARDS: No unusual fire or explosion hazards noted.

SPECIFIC HAZARDS: When heated and in case of fire, toxic vapours/gases may be formed.

PROTECTIVE MEASURES IN FIRE: Self contained breathing apparatus and full protective clothing must be worn in case of fire.

6. ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS: Use protective gloves, goggles and suitable protective clothing. In case of spills, beware of slippery floors and surfaces.

ENVIRONMENTAL PRECAUTIONS: Do not discharge into drains, water courses or onto the ground.

SPELL CLEAN UP METHODS: Absorb with inert, damp, non-combustible material, then flush area with water. Shovel into dry containers. Cover and move the containers. Flush the area with water.

7. HANDLING & STORAGE MEASURES

USAGE PRECAUTIONS: Avoid spilling, skin and eye contact. Ensure adequate ventilation of the working Area. Adopt best manual handling considerations when handling, carrying and dispensing.

STORAGE PRECAUTIONS: Store in tightly closed original container in a dry, cool and well-ventilated place. Keep away from heat, sparks and open flame. Protect from freezing and direct Sunlight.

STORAGE CLASS: Unspecified storage

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

PROTECTIVE EQUIPMENT:



ENGINEERING MEASURES:
RESPIRATORY EQUIPMENT:

Provide adequate ventilation.

No specific recommendation made, but respiratory protection may still be required under exceptional circumstances when excessive air contamination exists.

HAND PROTECTION:

Protective gloves should be used if there is a risk of direct contact or splash.

EYE PROTECTION:

If risk of splashing, wear safety goggles or face shield.

OTHER PROTECTION:

Wear appropriate clothing to prevent any possibility of skin contact.

HYGIENE MEASURES:

No specific hygiene procedures noted, but good personal hygiene practices are always advisable, especially when working with chemicals.

SKIN PROTECTION:

Wear apron or protective clothing in case of splashes.

9. PHYSICAL & CHEMICAL PROPERTIES

Please see separate specification sheet.

10. STABILITY AND REACTIVITY

STABILITY:

Stable under normal temperature conditions.

CONDITIONS TO AVOID:

Avoid heat, flames and other sources of ignition.

HAZARDOUS POLYMERISATION:

Will not polymerise.

MATERIALS TO AVOID:

Strong oxidising substances. Strong acids. Strong Alkalis.

HAZARDOUS DECOMPOSITION PRODUCTS: In case of fire, toxic gases (CO, CO₂, NO_x) may be formed.

11. TOXICOLOGICAL INFORMATION

TOXICOLOGICAL INFORMATION:

See Section 2

GENERAL INFORMATION:

No specific health warnings noted.

INHALATION:

In high concentrations, vapours may irritate throat and respiratory system and cause coughing.

INGESTION:

No specific health warnings noted. No harmful effects expected in amounts likely to be ingested by accident.

SKIN CONTACT:

No specific health warnings noted.

EYE CONTACT:

Spray and vapour in the eyes may cause irritation and smarting.

HEALTH WARNINGS:

No specific health warnings noted.

MEDICAL SYMPTOMS:

No specific symptoms noted, but this chemical may still have adverse health impact, either in general or on certain individuals.

MEDICAL CONSIDERATIONS:

Persons with rash are directed to skin expert for examination of allergic eczema.

12. ECOLOGICAL INFORMATION

ECOTOXICITY:

Refer to section - 2

13. DISPOSAL CONSIDERATIONS


GENERAL INFORMATION:

Waste is suitable for incineration.

DISPOSAL METHODS:

Dispose of waste and residues in accordance with local authority requirements.

14. TRANSPORT INFORMATION



PROPER SHIPPING NAME:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (ANETHOLE)		
UN NO. ROAD:	3082		
ADR CLASS NO:	9	ADR CLASS	Class 9: Miscellaneous Dangerous substances and articles.
ADR PACK GROUP	III		
TUNNEL RESTRICTION CODE	(E)		
HAZARD No. (ADR)	90	ADR LABEL No.	9
HAZCHEM CODE	•3Z		
UN NO. SEA	3082	IMDG CLASS	9
IMDG PACK GR	III	EMS	F-A, S-F
UN NO. AIR	3082	AIR CLASS	9
AIR PACK GR.	III		

15. REGULATORY INFORMATION

EU DIRECTIVES

Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18th December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, including amendments.

STATUTORY INSTRUMENTS:	The Chemicals (Hazard information and Packaging for Supply) Regulations 2009 (S.I 2009 No. 716)
APPROVED CODE OF PRACTICE:	Classification and Labelling of Substances and Preparations Dangerous for Supply
GUIDANCE NOTES:	Workplace Exposure Limits EH40.

16. OTHER INFORMATION

GENERAL INFORMATION:	Shelf life: 36 months when stored within advised conditions.
RISK PHRASES IN FULL:	R10 Flammable. R22 Harmful if swallowed. R52/53 Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment. R65 Harmful: may cause lung damage if swallowed R38 Irritating to skin. R40 Limited evidence of a carcinogenic effect. R43 May cause sensitisation by skin contact. R68 Possible risk of irreversible effects. R51/53 Toxic to aquatic organisms, may cause long-term adverse effects in

HAZARD STATEMENTS IN FULL

	the aquatic environment.
R50/53	Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
H315	Causes skin irritation.
H226	Flammable liquid and vapour.
H302	Harmful if swallowed.
H412	Harmful to aquatic life with long lasting effects.
H304	May be fatal if swallowed and enters airways.
H317	May cause an allergic skin reaction.
H351	Suspected of causing cancer.
H341	Suspected of causing genetic defects.
H411	Toxic to aquatic life with long lasting effects.
H410	Very toxic to aquatic life with long lasting effects.
H400	Very toxic to aquatic life

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.

Date of First Issue: 04.08.2011
Re-Issued: 15.08.2013