



SAFETY DATA SHEET

Printed on 23 July 2015

According to 1907/2006/EC, Article 31 as amended by 453/2010/EC

Code Number : 236

Version 6 Revised 13/07/2015 09:06:45

1. IDENTIFICATION OF SUBSTANCE / MIXTURE AND COMPANY

Product Identifier

Compound Name : FRESH BERRIES FRAGRANCE

Code Number : 236

Relevant identified uses of the substance/mixture and uses advised against

Concentrated fragrance material for manufacturing purposes only.

Details of the supplier of the safety data sheet

Just a Soap
Unit 10 Bunting Road
Bury St Edmunds
IP32 7BX

Telephone Number : 01284 848730

Email Address : enquiry@justasoap.co.uk

2. HAZARDS IDENTIFICATION

Classification of the substance or mixture

GHS Classification according to EC1272/2008

FL 3 : Flammable liquid, category 3
SCI 2 : Skin corrosion/irritation, category 2
SS 1 : Skin sensitisation
EDI 2B : Eye damage/irritation, category 2B
EH A2 : Aquatic hazard, acute, category 2
EH C2 : Aquatic hazard, chronic, category 2

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

SAFETY DATA SHEET

Printed on 23 July 2015

According to 1907/2006/EC, Article 31 as amended by 453/2010/EC

Code Number : 236

Version 6 Revised 13/07/2015 09:06:45

EU DSD classification according to 67/548/EEC, 1999/45/EC, 2001/58/EC

Hazard Symbols



F: Highly flammable



Xn: Harmful



N: Dangerous for the Environment

Risk Codes : R10,R20,R43,R51/53

HydroCarbons : <= 10%

Additional Information

Full text of R and S phrases: see Section 16

GHS Labelling

Symbols



Signal Word Warning

Hazard Statements

- | | |
|------|---|
| H226 | Flammable liquid and vapour |
| H315 | Causes skin irritation |
| H317 | May cause an allergic skin reaction |
| H320 | Causes eye irritation |
| H401 | Toxic to aquatic life |
| H411 | Toxic to aquatic life with long lasting effects |

Precautionary Statements

- | | |
|------|--|
| P210 | Keep away from heat, sparks, open flames and hot surfaces. - No smoking. |
| P261 | Avoid breathing fumes. |
| P264 | Wash hands thoroughly after handling |
| P280 | Wear protective gloves and eye protection |

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

SAFETY DATA SHEET

Printed on 23 July 2015

According to 1907/2006/EC, Article 31 as amended by 453/2010/EC

Code Number : 236

Version 6 Revised 13/07/2015 09:06:45

P303+P361+P353 IF ON SKIN (or hair): Remove immediately all contaminated clothing. Rinse skin with water.
P333+P313 If skin irritation or rash occurs: Get medical advice.
P337+P313 If eye irritation persists: Get medical attention.
P391 Collect spillage. Hazardous to the aquatic environment
P403+P233 Store in a well-ventilated place. Keep container tightly closed.

Other Hazards

No data available at this time

3. COMPOSITION AND INFORMATION ON INGREDIENTS

Any percentage values listed here for hazardous components are for illustrative purposes only

Complex mixture of fragrance ingredients

Contains

Chemical Name	CAS No. EC No.	Classification 67/548/EEC	Classification EC 1272/2008	Conc (%)
Diethyl phthalate (DEP)	84-66-2 201-550-6	Xn; R20	SCI 3;EH A3	>=25%
Galaxolide (Abbalide) (HHCB) (1,2,3,4,6,7-Hexahydro-4,6,6,7,8,8-hexa methylcyclopenta-2-benzopyran	1222-05-5 214-946-9	N; R50/53	SCI 3;EH A1,C1	>=5%,<10%
4-tert.-Butylcyclohexyl acetate (Vertenex) (PTBCHA)	32210-23-4 250-954-9	N; R51/53	SCI 3;EH A2,C2	>=5%,<10%
Ethyl methyl phenyl glycidate (Aldehyde C16) (Fraise)	77-83-8 201-061-8	; R52/53	SS 1;EH A2,C2	>=5%,<10%
Raspberry Ketone (4-(4-Hydroxyphenyl)-2-butanone) (Oxyphenylone)	5471-51-2 226-806-4	Xn; R22	ATO 4(1400)	>=5%,<10%
alpha-iso-Methylionone	127-51-5 204-846-3	Xi,N; R36/38,R43,R51/53	SCI 2;SS 1B;EDI 2B;EH A2,C2	>=5%,<10%
Linalool (3,7-Dimethyl-1,6-octadien-3-ol) (Coriandrol)	78-70-6 201-134-4	Xi; R38	FL 4;ATO 5(2780);SCI 2;EDI 2A;EH A3	>=3%,<5%
Methyl cinnamate	103-26-4 203-093-8		ATO 5(2610);SS 1B	>=3%,<5%
omega-Pentadecalactone (Cyclopentadecanolide) (Exaltolide)	106-02-5 203-354-6	Xi; R43	SCI 3;SS 1B;EH C2	>=3%,<5%
Benzyl acetate	140-11-4 205-399-7		FL 4;ATO 5(2490);SCI 3;EH A2	>=3%,<5%
Ethyl butyrate	105-54-4 203-306-4	; R10	FL 3;SCI 3;EH A2	>=1%,<3%

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

SAFETY DATA SHEET

Printed on 23 July 2015

According to 1907/2006/EC, Article 31 as amended by 453/2010/EC

Code Number : 236

Version 6 Revised 13/07/2015 09:06:45

4. FIRST AID MEASURES

General	: Take phrases in sections 2 and 15 into account
Inhalation	: Remove from the exposure area to fresh air. Contact a doctor if necessary.
Ingestion	: Wash mouth with plenty of water and obtain medical advice immediately.
Skin Contact	: Remove contaminated clothing. Wash thoroughly with soap and water. Seek medical advice if irritation persists or there is any sign of tissue damage.
Eye Contact	: Flush with plenty of water and seek medical advice if necessary.

5. FIRE-FIGHTING MEASURES

Extinguishing Media	: Carbon dioxide, foam or dry powder DO NOT USE A DIRECT WATER JET. In case of overheating, cool containers to avoid a pressure increase.
Combustion Products	: Carbon dioxide and unidentified organic compounds.
Special Protective Equipment for Fire Fighters Only	: Wear protective clothing and avoid inhalation of vapours.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Remove all sources of ignition.
Avoid inhalation, skin and eye contact.
Ensure proper ventilation.

Environmental precautions

Do not discharge directly into drains or the soil. Keep away from surface and ground water

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

SAFETY DATA SHEET

Printed on 23 July 2015

According to 1907/2006/EC, Article 31 as amended by 453/2010/EC

Code Number : 236

Version 6 Revised 13/07/2015 09:06:45

Methods and material for containment and cleaning up

Soak up spillage with sand or other inert absorbant material such as earth or vermiculite; transfer used material to a suitable waste container and dispose in accordance with regulations.

Reference to other sections

Take Risk, Safety and Precautionary phrases (section 16) into account

7. HANDLING AND STORAGE

Precautions for safe handling

Maintain good occupational and personal hygiene. Avoid inhalation and contact with skin and eyes.

Conditions for safe storage, including any incompatibilities

Store in tightly sealed original containers away from ignition sources and in a cool place.

Specific end use(s)

Not available at this time

8. EXPOSURE CONTROLS AND PERSONAL PROTECTION

Control Parameters

-

Exposure Controls

Maintain adequate ventilation.

Personal Protection

Respiratory Protection : Not generally required. (Use inhalation protection in poorly ventilated areas)

Hand Protection : Wear chemically resistant disposable gloves.

Eye Protection : Wear safety goggles.

Skin Protection : Wear overalls. Always wash routinely before breaks, meals and at the end of the work period.

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

SAFETY DATA SHEET

Printed on 23 July 2015

According to 1907/2006/EC, Article 31 as amended by 453/2010/EC

Code Number : 236

Version 6 Revised 13/07/2015 09:06:45

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Flash Point (°C) : 47

10. STABILITY AND REACTIVITY

Conditions to avoid : Extreme temperatures

Incompatible materials : Highly reactive chemicals which may produce unknown reaction products and so cause additional hazards.

Hazardous decomposition products : Not determined

11. TOXICOLOGY INFORMATION

Not available for a complex mixture of different substances.

12. ECOLOGICAL INFORMATION

Not available; avoid soil, surface water and water-bearing stratum contamination.

13. DISPOSAL CONSIDERATIONS

Dispose in accordance with the law and local regulations. Treat as trade effluent.

14. TRANSPORT INFORMATION

UN Number : 1993

Shipping Name : FLAMMABLE LIQUID, N.O.S. (CONTAINS ETHYL BUTYRATE)

Class : 3

Packing Group : III

Tunnel Code : (D/E)

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

SAFETY DATA SHEET

Printed on 23 July 2015

According to 1907/2006/EC, Article 31 as amended by 453/2010/EC

Code Number : 236

Version 6 Revised 13/07/2015 09:06:45

15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

No relevant information available at this time

Chemical safety assessment

No data available at this time

Contains alpha-iso-Methylionone and Linalool which may produce an allergic reaction

16. OTHER INFORMATION

Total fractional values:

Xn	2.1200	Xn	0.2000	R36	0.3000
R38	0.5000	R43	6.0000	R50	0.2000
R50/53	0.2000	R51/53	2.4400	R53	0.8400

Text of the risk and safety phrases listed in section 2

R10	Flammable
R20	Harmful by inhalation
R43	May cause sensitisation by skin contact
R51/53	Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment
S16	Keep away from sources of ignition - No smoking
S2	Keep out of the reach of children
S23	Do not breathe fumes
S24	Avoid contact with skin
S37	Wear suitable gloves
S61	Avoid release to the environment. Refer to special instructions/safety data sheet
P210	Keep away from heat, sparks, open flames and hot surfaces. - No smoking.

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

SAFETY DATA SHEET

Printed on 23 July 2015

According to 1907/2006/EC, Article 31 as amended by 453/2010/EC

Code Number : 236

Version 6 Revised 13/07/2015 09:06:45

P261	Avoid breathing fumes.
P264	Wash hands thoroughly after handling
P280	Wear protective gloves and eye protection
P303+P361+P353	IF ON SKIN (or hair): Remove immediately all contaminated clothing. Rinse skin with water.
P333+P313	If skin irritation or rash occurs: Get medical advice.
P337+P313	If eye irritation persists: Get medical attention.
P391	Collect spillage. Hazardous to the aquatic environment
P403+P233	Store in a well-ventilated place. Keep container tightly closed.

Text of the risk phrases listed in section 3

R10	Flammable
R20	Harmful by inhalation
R22	Harmful if swallowed
R36/38	Irritating to eyes and skin
R38	Irritating to skin
R43	May cause sensitisation by skin contact
R50/53	Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment
R51/53	Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment
R52/53	Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.